

L Number	Hits	Search Text	DB	Time stamp
1	14124	(cylinder or drum) near2 (axial\$ or lateral\$ or longitudinal\$) near2 (registration or register\$ or align\$ or mov\$ or position\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 10:41
2	111064	(bearing or bearer or bushing or bush) near2 (mov\$ or float\$ or slid\$ or track\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 10:26
3	402	(101/485).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 08:58
4	236	(101/486).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 08:58
5	908	(101/248).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 08:58
6	1479	((101/485).ccls.) or ((101/486).ccls.) or ((101/248).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 11:41
7	719	b41f013/12.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 08:58
8	82	((cylinder or drum) near2 (axial\$ or lateral\$ or longitudinal\$) near2 (registration or register\$ or align\$ or mov\$ or position\$)) and (((101/485).ccls.) or ((101/486).ccls.) or ((101/248).ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 08:59
9	81	((bearing or bearer or bushing or bush) near2 (mov\$ or float\$ or slid\$ or track\$)) and (((101/485).ccls.) or ((101/486).ccls.) or ((101/248).ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 08:59
10	17	((cylinder or drum) near2 (axial\$ or lateral\$ or longitudinal\$) near2 (registration or register\$ or align\$ or mov\$ or position\$)) and b41f013/12.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 08:59
11	17	((bearing or bearer or bushing or bush) near2 (mov\$ or float\$ or slid\$ or track\$)) and b41f013/12.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 09:00
12	11	((cylinder or drum) near2 (axial\$ or lateral\$ or longitudinal\$) near2 (registration or register\$ or align\$ or mov\$ or position\$)) and (((101/485).ccls.) or ((101/486).ccls.) or ((101/248).ccls.)) and (scann\$9 or camera)	USPAT; US-PGPUB	2004/08/25 09:15
13	14	((bearing or bearer or bushing or bush) near2 (mov\$ or float\$ or slid\$ or track\$)) and (((101/485).ccls.) or ((101/486).ccls.) or ((101/248).ccls.)) and (scann\$9 or camera)	USPAT; US-PGPUB	2004/08/25 09:15

14	0	((cylinder or drum) near2 (axial\$ or lateral\$ or longitudinal\$) near2 (registration or register\$ or align\$ or mov\$ or position\$) and b41f013/12.ipc.) and (scann\$9 or camera)	USPAT; US-PGPUB	2004/08/25 09:16
15	0	((bearing or bearer or bushing or bush) near2 (mov\$ or float\$ or slid\$ or track\$) and b41f013/12.ipc.) and (scann\$9 or camera)	USPAT; US-PGPUB	2004/08/25 09:31
16	2	((bearing or bearer or bushing or bush) near2 (mov\$ or float\$ or slid\$ or track\$) and b41f013/12.ipc.) and (scann\$9 or camera or sensor\$)	USPAT; US-PGPUB	2004/08/25 09:32
17	33	((cylinder or drum) near2 (axial\$ or lateral\$ or longitudinal\$) near2 (registration or register\$ or align\$ or mov\$ or position\$) and (((101/485).ccls.) or ((101/486).ccls.) or ((101/248).ccls.))) and (scann\$9 or camera or sensor\$)	USPAT; US-PGPUB	2004/08/25 09:32
18	7	((cylinder or drum) near2 (axial\$ or lateral\$ or longitudinal\$) near2 (registration or register\$ or align\$ or mov\$ or position\$) and (((101/485).ccls.) or ((101/486).ccls.) or ((101/248).ccls.))) and (scann\$9 or camera or sensor\$5 or optic\$) and ((pressure adj medium) or hydraulic or pneumatic or (air adj cylinder))	USPAT; US-PGPUB	2004/08/25 09:54
19	0	20010035104.URPN.	USPAT	2004/08/25 09:40
20	5	4759287.URPN.	USPAT	2004/08/25 09:43
21	1	5327826.pn.	USPAT; US-PGPUB	2004/08/25 09:54
22	11	5327826.URPN.	USPAT	2004/08/25 09:55
23	8	("3165056"   "3963902"   "4484522"   "4572074"   "4665824"   "4821640"   "4856903"   "4932320").PN.	USPAT	2004/08/25 10:06
24	16	4932320.URPN.	USPAT	2004/08/25 10:09
25	1	6026172.pn. and ((cylinder or drum) near2 (axial\$ or lateral\$ or longitudinal\$) near2 (registration or register\$ or align\$ or mov\$ or position\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 10:25
26	0	6026172.pn. and ((bearing or bearer or bushing or bush) near2 (mov\$ or float\$ or slid\$ or track\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 10:38
27	8	("3165056"   "3963902"   "4484522"   "4572074"   "4665824"   "4821640"   "4856903"   "4932320").PN.	USPAT	2004/08/25 10:34
28	16	4932320.URPN.	USPAT	2004/08/25 10:34
29	1137	((cylinder or drum) near2 (axial\$ or lateral\$ or longitudinal\$) near2 (registration or register\$ or align\$ or mov\$ or position\$) and ((bearing or bearer or bushing or bush) near2 (mov\$ or float\$ or slid\$ or track\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 10:38
30	124051	((cylinder or drum) near2 (axial\$ or lateral\$ or longitudinal\$) near2 (registration or register\$ or align\$ or mov\$ or position\$) or ((bearing or bearer or bushing or bush) near2 (mov\$ or float\$ or slid\$ or track\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 10:38
31	13	((cylinder or drum) near2 (axial\$ or lateral\$ or longitudinal\$) near2 (registration or register\$ or align\$ or mov\$ or position\$) and ((bearing or bearer or bushing or bush) near2 (mov\$ or float\$ or slid\$ or track\$))) and (register adj adjust\$9)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 11:37

32	1137	((cylinder or drum) near2 (axial\$ or lateral\$ or longitudinal\$) near2 (registration or register\$ or align\$ or mov\$ or position\$)) and ((bearing or bearer or bushing or bush) near2 (mov\$ or float\$ or slid\$ or track\$)) and (axial\$ or lateral\$ or longitudinal\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 10:43
33	13	((cylinder or drum) near2 (axial\$ or lateral\$ or longitudinal\$) near2 (registration or register\$ or align\$ or mov\$ or position\$)) and ((bearing or bearer or bushing or bush) near2 (mov\$ or float\$ or slid\$ or track\$)) and (register adj adjust\$9) and (axial\$ or lateral\$ or longitudinal\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 10:43
34	40	4177730.URPN.	USPAT	2004/08/25 11:08
35	10	5377590.URPN.	USPAT	2004/08/25 11:13
36	12	3750568.URPN.	USPAT	2004/08/25 11:42
37	6308	((101/485).ccls.) or ((101/486).ccls.) or ((101/248).ccls.) and (register adj adjust\$9) or (adapt\$5 adj position)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 11:38
38	114	((101/485).ccls.) or ((101/486).ccls.) or ((101/248).ccls.) and ((register adj adjust\$9) or (adapt\$5 adj position))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 11:38
39	1137	((cylinder or drum) near2 (axial\$ or lateral\$ or longitudinal\$) near2 (registration or register\$ or align\$ or mov\$ or position\$)) and ((bearing or bearer or bushing or bush) near2 (mov\$ or float\$ or slid\$ or track\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 11:41
40	2	((cylinder or drum) near2 (axial\$ or lateral\$ or longitudinal\$) near2 (registration or register\$ or align\$ or mov\$ or position\$)) and ((bearing or bearer or bushing or bush) near2 (mov\$ or float\$ or slid\$ or track\$)) and ((register adj adjust\$9) or (adapt\$5 adj position)) and ((pressure adj medium) or hydraulic or pneumatic or (air adj cylinder)) and (camera or scann\$6 or optic\$5 or sensor\$5))	USPAT; US-PGPUB	2004/08/25 11:47
41	21	(101/\$).ccls. and ((register adj adjust\$9) or (adapt\$5 adj position)) and ((pressure adj medium) or hydraulic or pneumatic or (air adj cylinder)) and (camera or scann\$6 or optic\$5 or sensor\$5))	USPAT; US-PGPUB	2004/08/25 11:49
42	2	((bearing or bearer or bushing or bush) near2 (mov\$ or float\$ or slid\$ or track\$)) and ((101/\$).ccls. and ((register adj adjust\$9) or (adapt\$5 adj position)) and ((pressure adj medium) or hydraulic or pneumatic or (air adj cylinder)) and (camera or scann\$6 or optic\$5 or sensor\$5))	USPAT; US-PGPUB	2004/08/25 11:49
43	0	4137845.pn. and ((pressure adj medium) or hydraulic or pneumatic or (air adj cylinder)) and (camera or scann\$6 or optic\$5 or sensor\$5))	USPAT; US-PGPUB	2004/08/25 11:53
-	1	("6502509").PN.	USPAT	2004/08/25 08:51
-	1	6502509.URPN.	USPAT	2004/08/24 11:42
-	0	6644188.URPN.	USPAT	2004/08/24 11:43
-	1	6502509.pn. and lateral	USPAT; US-PGPUB	2004/08/24 11:46
-	1	6502509.pn. and (lateral adj register)	USPAT; US-PGPUB	2004/08/24 11:53

-	0	6502509.pn. and (bearing adj block)	USPAT; US-PGPUB	2004/08/24 11:53
-	0	6502509.pn. and (bearing adj clock)	USPAT; US-PGPUB	2004/08/24 11:53
-	1	6502509.pn. and (bearing)	USPAT; US-PGPUB	2004/08/24 11:56
-	1	6502509.pn. and (forme adj cylinder)	USPAT; US-PGPUB	2004/08/24 11:59
-	1	("6085650").PN.	USPAT; US-PGPUB	2004/08/24 13:37
-	10	6085650.URPN.	USPAT	2004/08/24 12:00
-	8	("3424084"   "5109768"   "5394797"   "5471929"   "5485782"   "5528986"   "5699735"   "5806427").PN.	USPAT	2004/08/24 12:00
-	5	((101/180).CCLS.) AND (adjust\$5 adj stop\$6)	USPAT; US-PGPUB	2004/08/24 13:39
-	246	(101/180).CCLS.	USPAT; US-PGPUB	2004/08/24 13:45
-	5	((101/180).CCLS.) and (camera or scan\$12)	USPAT; US-PGPUB	2004/08/24 13:47
-	7	((101/180).CCLS.) and (camera or scan\$12 or optic\$6)	USPAT; US-PGPUB	2004/08/25 11:39
-	0	659174.pn.	USPAT; US-PGPUB	2004/08/24 13:50
-	1	6591746.pn.	USPAT; US-PGPUB	2004/08/24 14:12
-	0	6591746.URPN.	USPAT	2004/08/24 13:51
-	48	("1151461"   "3073997"   "3468201"   "3561654"   "3601587"   "3915090"   "3963902"   "3974766"   "3998156"   "4033259"   "4135664"   "4164184"   "4165465"   "4243925"   "4349880"   "4363270"   "4366542"   "4366753"   "4391190"   "4437402"   "4484522"   "4485447"   "4495582"   "4528630"   "4531828"   "4553478"   "4685139"   "4694749"   "4743768"   "4805111"   "4872407"   "4994975"   "5020006"   "5056430"   "5123887"   "5138667"   "5179897"   "5209161"   "5215011"   "5252838"   "5272980"   "5455764"   "5551339"   "5649484"   "5771811"   "5828075"   "5917192"   "6026172").PN.	USPAT USPAT	2004/08/24 13:51
-	21	("2802666"   "3264983"   "3958509"   "3986007"   "3988535"   "4136950"   "4146907"   "4160263"   "4208675"   "4232336"   "4233625"   "4253111"   "4301470"   "4322802"   "4389669"   "4482972"   "4567506"   "4736680"   "4794453"   "4887530"   "4932320").PN.	USPAT	2004/08/24 13:51
-	16	4932320.URPN.	USPAT	2004/08/24 14:02
-	0	6626104.URPN.	USPAT	2004/08/24 14:03
-	0	6626104.URPN.	USPAT	2004/08/24 14:03
-	22	((101/180).CCLS.) and ((pressure adj medium) or hydraulic or pneumatic)	USPAT; US-PGPUB	2004/08/24 15:20
-	5	5782182.URPN.	USPAT	2004/08/24 14:22
-	1	4756247.URPN.	USPAT	2004/08/24 14:29
-	1	4414895.URPN.	USPAT	2004/08/24 14:32
-	28	4369705.URPN.	USPAT	2004/08/24 14:34
-	3	4960048.URPN.	USPAT	2004/08/24 14:48
-	15	("2967475"   "3072050"   "3196786"   "3424084"   "3869983"   "4240346"   "4250809"   "4280406"   "4369705"   "4442773"   "4462311"   "4526099"   "4756245"   "4831926"   "4833982").PN.	USPAT	2004/08/24 14:49
-	23	((101/180).CCLS.) and ((pressure adj medium) or hydraulic or pneumatic or (air adj cylinder))	USPAT; US-PGPUB	2004/08/25 11:42
-	1	6502509.pn. and ((pressure adj medium) or hydraulic or pneumatic or (air adj cylinder))	USPAT; US-PGPUB	2004/08/25 11:40

-	9	("3136245"   "4309945"   "5347926"   "5644828"   "5692442"   "5868071"   "6085650"   "6308627"   "6397743").PN.	USPAT	2004/08/24 15:27
-	1	6502509.pn. and ((camera or scan\$6))	USPAT; US-PGPUB	2004/08/24 15:30
-	1	6502509.pn. and ((control\$6))	USPAT; US-PGPUB	2004/08/24 15:30